

ALGE-TIMING Price List 2026

2026-02-01

Product	Code	Price in €
TIMING DEVICES		
Timy3 with built-in radio WTN	Timy3 W	1.126
Timy3 with built-in radio WTN and printer	Timy3 WP	1.577
Timy3 WP including NM-TIMY2, charger PS12A and case KS-TY1	Timy3 WP-S	1.739
Mobile Timing MT1 incl. 2000 Timing Points, PS-USB and USB-AC	MT1	819
Timing Point Package Bronze: 5.000 TP	5000TP	108
Timing Point Paket Silver: 10.000 TP	10000TP	194
Timing Point Paket Gold: 20.000 TP	20000TP	270
TimeManager	TM	3.689
Training WTN-Set1 (Timy3 W + 2 x PR1aW + 2 x REF-L + 4 x TRI128 + case)	WTN-Set1	2.869
Training WTN-Set2 (Timy3 WP + PS12A + 2 x PR1aW + 2 x REF-L + 4 x TRI128)	WTN-Set2	3.484
Photocell Set for WTN-Set (PR1aW + REF-L + 2 x TRI128)	PR1aW-Set	973
Countdown Trainer Display with 4 digits, 25 cm figure height - radio controlled	D-CDT	3.554
TIMING DEVICES SELFTIMER		
Selftimer SF3 without payment - 15 cm board, incl. STSnA1, PR1a-R, SF3L	SF3-L150	3.727
Selftimer SF3 without payment - 25 cm board, incl. STSnA1, PR1a-R, SF3L	SF3-L250	4.547
LED display board for Selftimer SF3 with 3 digit and 150 mm figure height	D-SF150-O-3-EO	1.721
LED display board for Selftimer SF3 with 6 digit and 150 mm figure height	D-SF150-O-6-EO	2.049
LED display board for Selftimer SF3 with 3 digit and 250 mm figure height	D-SF250-O-3-EO	2.049
LED display board for Selftimer SF3 with 6 digit and 250 mm figure height	D-SF250-O-6-EO	2.869
Start light for Selftimer SF3	SF3L	593
Speedy 150-3 (D-SF150-O-3-EO, 2 x PR1a-R, cable 171-30)	Speedy 150-3	3.301
Speedy 250-3 (D-SF250-O-3-EO, 2 x PR1a-R, cable 171-30)	Speedy 250-3	3.629
Speedy 150-3-R (D-LINE150-O-3-EO, D-RAD with 30 m cable)	Speedy 150-3-R	3.558
Speedy 250-3-R (D-LINE250-O-3-EO, D-RAD with 30 m cable)	Speedy 250-3-R	3.952
Radar for Speedy with 30 m cable	D-RAD	2.356
IMPULSE DEVICES		
Startgate, manual gate, 1 output, and speech amplifier	STSnM1S	409
Startgate, manual gate, 2 outputs, and speech amplifier, FIS approved	STSnM2S	511
Startgate, automatic gate, 1 output	STSnA1	368
Startgate, automatic gate 1 output, and speech amplifier	STSnA1S	450
Start wand for STSn (thred M10)	STSn-S	40
Start wand for STSn with spring (thred M10)	STSn-FSTAB	71
Start wand for STSc with spring (thred M8)	STS3/c	60
Start poles with start plate for Startgate STSnM2S	SSP	1.495
Startdoor for Parallel- and Cross Events	SSD1	6.969
Distribution Box with power supply for 2 x SSD1 with 2 x 310-07 and 1 x 023-02	SSD1-PS	2.305
Connection set for start door SSD1 for Cross events with cable 310-1.5	SSD1-CC	614
Start Light for Parallel Events (3 x red 1 x green) - Single Sided with 310-07 + Holder	D-SL105-3xR-G	1.691
Start Light for Parallel Events (3 x red 1 x green) - Double Sided with 310-07 + Holder	D-SL105-3xR-G-DS	2.637
SPM-Snow Grip Tip, length 34 cm	SSD1-IS	30
OPTI Team Cross Start Adapter	OTCSA	870
Startmicrophone SM9	SM9	409
Electronic start trigger with integrated flash	e-Start	511
Electronic radio start trigger with flash (works on WTN base), incl. PS12A	e-Start W	696
Photocell with reflector, 2 x B-S1 (attention: without cable)	PR1a-RS	539
WTN photocell with reflector and 2 x B-S1	PR1aW-RS	775
Photocell with reflector and 2 x BBG and cable 001-10	PR1a-R	631
WTN photocell with reflector and 2 x BBG	PR1aW-R	816
Photocell with reflector, 2 x tripod TRI128 and cable 001-30	PR1a-RT	908
WTN photocell with reflector and 2 x tripod TRI128	PR1aW-RT	1.021

Photocell with reflector and cable 000-05	PR1a-RB	496
Photocell (2 x PR1a), 2 x B-S1 (attention: without cable)	PR1a-dS	842
Photocell (2 x PR1a), 2 x BBG and cable 001-10	PR1a-d	934
Photocell (2 x PR1a), 2 x tripod TRI128 and cable 001-30	PR1a-dT	1.211
WTN photocell (1 x PR1aW, 1 x PR1a) and 2 x TRI128	PR1aW-dT	1.323
Photocell PR1a (transmitter-receiver unit) without accessory	PR1a	378
WTN photocell (transmitter-receiver unit) without accessory	PR1aW	614
Reflector for PR1a	PR1a-Ref	81
Three-fold photocell with reflector, tripods TRI128 and cable 001-30	RLS3c	2.305
Photocell holder for speed skating (without photocell PR1a)	ICE-FH1	142
Reflector for speed skating (additional holder ICE-FH1 necessary)	ICE-Ref1	81
Reflector for RLS3c	Ref-3	149
Reflector for canoe	Ref-C	245
Reflector small	Ref-L	50
Bracket for photocell with chain (without socket-joint)	BBG	60
Small bracket for photocell to screw on a poll	B-S1	40
Photocell holder for poles (max 4 cm diameter)	B-P40	101
Universal holder for MT1, TED2, WTN, SV5-BT, etc.	B-UH	67
Weatherproof photocell box for PR1a	PB4	655
Weatherproof photocell box for PR1a with heating and power supply PS12A	PB4H	798
Push Button XL (palm button with banana contact)	PB-XL	255
Photocell Light Grid (monitoring distance 1080 mm)	ASLG1m	2.305
Contact mat with measurements of 40 x 30 cm	CM40x30	460
Contact mat with measurements of 60 x 43 cm	CM60x43	645
*** Tape switch 3 m	ATS3	265
*** Tape switch 6 m	ATS6	358
*** Tape switch 9 m	ATS9	440
* Tape switch 3 m	ATS3Y	347
* Tape switch 6 m	ATS6Y	511
Tape switch 7 m	ATS7Y	552
* Tape switch 9 m	ATS9Y	645
RADIO TRANSMISSION		Price in €
Wireless Timing Network	WTN	614
Wireless Timing Network for display boards	WTN-DB	399
Radio push-button with built-in WTN	WTN-PB	358
Wireless Timing Network for wind speed	WTN-WS	507
Teledate Transmittter 5 - 500 mW (distance up to 4,5 km), 433 MHz b	TED2-TX	1.311
Teledate Empfänger, 433 MHz Band	TED2-RX	1.055
BNC antenna	BNC-Ant	65
Holder to mount TED + photocell on a tripod	TTR	67
TIMING ACCESSORIES		Price in €
LED start clock with internal battery pack, remote control ASC3-RCU and case	ASC3	2.664
Remote control ASC3-RCU for start clock ASC3 with 10 m cable	ASC3-RCU	224
GPS-receiver with 25-pin D-Sub plug for Timy and ASC3	GPS-A	255
Start beep	STB1	665
Start system with amplifier-speaker and trolley BANG2	BANG2	2.131
Weather protection for speaker BANG2	BANG2-BAG	204
Headset microphone with radio for BANG	BANG-HS	552
Tripod for BANG or BANG2	BANG-TRI	253
Horn speaker for BANG and BANG2 (connect up to 8 pieces)	BANG SPK	378
Start unit SU3	SU3	440
Headset (single-sided and microphone)	HS4-1	173
Headset (double-sided and microphone)	HS4-2	229
Speech amplifier with switch-key	SV4-S	255
*** Speech amplifier with connection for SM8	SV4/SM	286
Bluetooth Headset double-sided and microphone)	HS-BT1	122
Bluetooth Speech Amplifier	SV5-BT	405
Printer P6-8 with 8-pin DIN plug e.g. for TimeManager	P6-8	593
Printer P6-USB with USB connector for MT1, TED2 and SJ2	P6-USB	702
Docking station for Timy	TIDO	716
Multichannel for Timy, TdC 8000 or TdC 8001	MC9	356
Loudspeaker with fastening (D-Sub25 plug)	DL25	200

Start flash with LED	FLASH XL	952
----------------------	----------	-----

CHARGING DEVICES AND BATTERIES		Price in €
Power supply	PS12	81
Power supply for Timy and Printer P5	PS12A	81
Power Supply for USB	PS-USB	25
Power supply for SJ2-T (24 VDC, 70 W, 7-pin Amphenol plug male)	PS24-70A	198
Power Bank device with 18 Ah battery, 12 VDC and 2 x USB out	PS-KP	306
NiMH battery pack for Timy2/3 (7.2 V / 2 Ah)	NM-TIMY2	81
NiMH battery pack for TdC 8001- 7,2 V/4,5 Ah - long (from S/N 100928 001)	NM-TDC8001	149
NiMh battery pack for GAZ5 - 12 V / 4,5 Ah	NM-GAZ	306
Lead battery for start clock ASC1	BAB12/2.2	36
Lead battery for BANG and SJS2 (two pieces BAB12/2.9 for BANG necessary)	BAB12/2.9	39
Lead battery for BANG2 (two pieces BAB12/5.2 for BANG2 necessary)	BAB12/5.2	44
Lead battery for start clock ASC2 - 9 Ah	BAB12/9	77
Lead battery for start clock ASC3 (2 pieces 6V/12Ah)	BAB6/12	87
Adapter for power supply of the IDCam via Ethernet cable	POE	81
FINISH RECORDING CAMERA IDCAM		Price in €
IDCam camera with 5 megapixels, 0.2 Lux, incl. lens, POE+, 20 + 3 m cable and IDCam software	IDCam	2.664
Weather protection for IDCam	WP-IDCam	224
PHOTO FINISH		Price in €
OPTIc3 camera without lens, with PoE and Ethernet cables (10 m + 3 m), scan rate 3000 lines per second, resolution 1360 pixel	OPTIc3	10.864
OPTIc3 camera without lens, with PoE and Ethernet cables (10 m + 3 m) incl. KL-OPTIc3, USB-WIFI, O3-HiRes, O3-LS8, O3-LS15, O3-LD, O3-WTN, O3-VoIP, O3-MD, O3-HSV, O3-2EVAL and O3-EL (no T-OPTIc2NET)	OPTIc3-PRO	17.936
OPTIc3 upgrade for a higher vertical resolution from 1360 to 2016 pixel	O3-HiRes	1.536
OPTIc3 upgrade for scan rate from 3000 to 8000 lines per second	O3-LS8	1.536
OPTIc3 upgrade for scan rate from 8000 to 15000 lines per second	O3-LS15	1.536
OPTIc3 upgrade for recording and evaluation on different PC	O3-2EVAL	1.536
OPTIc3 upgrade for line doubling	O3-LD	1.280
OPTIc3 upgrade for integrated WTN (Wireless Timing Network)	O3-WTN	224
OPTIc3 upgrade with communication per VoIP with speech amplifier	O3-VoIP	819
OPTIc3 upgrade for motion detection (automatic recording)	O3-MD	671
OPTIc3 upgrade for transponder recording	O3-TSP	819
OPTIc3 upgrade for motor zoom (controlling, autofocus and auto iris)	O3-MZ	819
OPTIc3 upgrade for light blasting (extreme Lux)	O3-EL	399
OPTIc3 upgrade for high speed video (100 frames per second)	O3-HSV	532
OPTIc3 weather protection (for lenses up to 75 mm)	WPC3-75	190
Zoom lens 12.5 - 75 mm / F1.2	Z75	819
Wide angle lens 8 mm / F1.4	L8C	388
Motor zoom 8 - 48 mm / F1.2 / 1/2 Inch (only for OPTIc3 with 1360 pixel)	MZ48C	1.588
Motor zoom 12.5 - 75 mm / F1.2, including OPTIc3 upgrade O3-MZ	MZ75C	2.356
C-Mount Focal Length Converter (zoom factor x 1.5)	Lx1.5	188
C-Mount Focal Length Converter (zoom factor x 2)	Lx2	224
Radial polar filter for Z75 and MZ75 (55 mm thread)	PF55	136
Gear head for tripod to adjust the camera	410	511
Electrical gear head for OPTIc3 (tridimensional)	410-E3	3.074
Anemometer Windspeed WS3	WS3	2.305
Anemometer Windspeed WS3-TY (WS3, Timy3 W, KT245Z10, TRI128)	WS3-TY	4.188
Anemometer Windspeed WS3-TY (WS3, Timy3 W, WTN-WS, TRI128)	WS3-W	4.102
Distance Measuring Device - Totalstation for Measuring the Distance in Athletics	DMD-Arc5	5.688
Mirror for horse racing (fixed installation)	OMH	7.174
Mirror for horse racing with heating (fixed installation)	OMH-H	7.971
Distributor for fixed cabling in manhole - manhole A to E (athletics)	TB2 A-E	409
Distributor for fixed cabling in manhole - manhole A to E with Ethernet (athletics)	TB2 A-E-RJ	501
Distributor for fixed cabling with RJ45 socket - timing house (athletics)	TB2 F	768
Distributor for fixed cabling - manhole wind (athletics)	TB W	409
Mobile athletics cabling on cable reel (100 m)	TBM A-D	819
Mobile athletics cabling for finish house	TBM-F2	409
START JUDGE SJ - False Start System for Athletics		Price in €
Start Judge SJ2 with cables incl. SJT2, e-Start, SU3, HS4-2, BANG2, WTN-PB, 199-20, KT150H, KT313-30, 000-01	SJ2-C	9.967
Start Judge SJ2 with WTN (radio) incl. SJT2, e-Start W, BANG2, BANG-HS, WTN-PB	SJ2-W	8.968
Start Judge SJ2 for Training incl. SJS2, WTN, WTN-PB, USB-WTN, PS24-70A	SJ2-T	2.705
Start Judge transport cart including controller and battery	SJT2	5.124
Start Judge Sensor with built-in speaker	SJS2	1.311
Olympic starting block for athletics - IAAF certificated starting block	STAMA	255

Timing System for Swimming		Price in €
TimeManager for swimming with PC software and case TN-SWIM	TM-SWIM	3.586
Swim terminal - connection box used for every lane	SWT3	378
Deck Plate for fixed installations with built-in SWT4 and amplifier for SPP2	SWT-DP	819
Active speaker	SPA2	819
Passive speaker	SPP2	450
Touch pad for swimming - 2400 x 910 mm (94,5" x 35,8"), incl. cable 309-2.5	TP2400C	2.746
Touch pad for swimming - 1890 x 910 mm (74,4" x 35,8"), incl. cable 309-2.5	TP1890C	2.254
Touch pad for swimming - 1890 x 610 mm (74,4" x 24"), incl. fix cable	TP1890C60	2.049
Touch pad for swimming - 1580 x 610 mm (62,2" x 24"), incl. fix cable	TP1580C60	1.844
Touch pad for swimming - 914 x 910 mm, incl. cable 309-2.5	TP914C	1.741
Holder for Touchpad - Single frame incl. dowel, glue and protection screw	TP-S	71
Holder for Touchpad - Double frame incl. dowel, glue and protection screw	TP-D140	71
Fastener for touch pads to fix them from the upper side of the podium	TP-T	48
Overflow fastener for touchpad (set of 2 pieces)	TP-G2-S	132
Rubber spanner to fix the touchpad around the starting block	TP-RS	48
Transport cart for up to 12 touch pads	Caddy X	2.643
Conversion kit for TP24 with new lamellas (lamellas and mounting sheets)	L-TP24	440
Conversion kit for TP18 with new lamellas (lamellas and mounting sheets)	L-TP18	347
Cable set for 4 lanes (1 x 200-20, 3 x 200-04, SWT-END) start side	SWCBL4S	532
Cable set for 4 lanes (1 x KT200Z10, 3 x 200-04, SWT-END) turn side	SWCBL4T	990
Cable set for 6 lanes (1 x 200-20, 5 x 200-04, SWT-END) start side	SWCBL6S	721
Cable set for 6 lanes (1 x KT200Z10, 5 x 200-04, SWT-END) turn side	SWCBL6T	1.179
Cable set for 8 lanes (1 x 200-20, 7 x 200-04, SWT-END) start side	SWCBL8S	909
Cable set for 8 lanes (1 x KT200Z10, 7 x 200-04, SWT-END) turn side	SWCBL8T	1.367
Cable set for 10 lanes (1 x 200-20, 9 x 200-04, SWT-END) start side	SWCBL10S	1.098
Cable set for 10 lanes (1 x KT200Z10, 9 x 200-04, SWT-END) turn side	SWCBL10T	1.556
Speaker cable set for 4 lanes (1 x KT201Z10, 1 x 201-07)	SWSPA4	1.039
Speaker cable set for 6 lanes (1 x KT201Z10, 2 x 201-07)	SWSPA6	1.147
Speaker cable set for 8 lanes (1 x KT201Z10, 3 x 201-07)	SWSPA8	1.255
Speaker cable set for 10 lanes (1 x KT201Z10, 4 x 201-07)	SWSPA10	1.362
Plastic starting block with contact plate and back plate (740 x 560 x 400 mm)	SO5	3.074
Starting block with contact plate and back plate (740 x 560 x 400 mm)	SO7	6.149
Swim relay pad with back plate (screw fastening, 740 x 560 x 40 mm)	SWR7	3.381
Swim relay pad with back plate belt fastening, 740 x 560 x 40 mm)	SWR7M	3.566
Backstroke start aid	BSA	1.229
Backstroke start aid for OMEGA starting blocks	BSA-T	1.280
Cabling for Semiautomatic timing system (8 lanes)	MC8-S2	1.075
Cabling for Swim-Training system	MC2-S	440
Simulator for Swimming with 10 Lanes (double-sided)	Swim-Sim10	1.690
LED-Display Board for Swimming - 15 cm - Indoor		Price in €
1 line with 5 digits, 15 cm, built-in power supply for mains (event, heat)	D-1xSW15-5-I	1.481
1 line with 7 digits, 15 cm, built-in power supply for mains	D-1xSW15-7-I	1.590
1 line with 8 digits, 15 cm, scrolling, built-in power supply for mains	D-1xSW15-8-I	1.670
3 lines, each 7 digits, 15 cm, built-in power supply for mains	D-3xSW15-7-I	3.183
4 lines, each 7 digits, 15 cm, built-in power supply for mains	D-4xSW15-7-I	3.958
5 lines, each 7 digits, 15 cm, built-in power supply for mains	D-5xSW15-7-I	4.732
5 lines, each 8 digits, 15 cm, built-in power supply for mains	D-5xSW15-8-I	5.115
6 lines, each 7 digits, 15 cm, built-in power supply for mains	D-6xSW15-7-I	6.069
6 lines, each 7 digits, 15 cm, built-in power supply for mains	D-2x3xSW15-7-I	6.069
8 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x4xSW15-7-I	7.621
10 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-7-I	9.170
10 lines, each 8 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-8-I	9.938
LED-Display Board for Swimming - 25 cm - Indoor		Price in €
1 line with 5 digits, 25 cm, built-in power supply for mains (event, heat)	D-1xSW25-5-I	2.308
1 line with 7 digits, 25 cm, built-in power supply for mains	D-1xSW25-7-I	2.491
1 line with 8 digits, 25 cm, scrolling, built-in power supply for mains	D-1xSW25-8-I	2.656
3 lines, each 7 digits, 25 cm, built-in power supply for mains	D-3xSW25-7-I	5.792
4 lines, each 7 digits, 25 cm, built-in power supply for mains	D-4xSW25-7-I	7.456
5 lines, each 7 digits, 25 cm, built-in power supply for mains	D-5xSW25-7-I	9.119
5 lines, each 8 digits, 25 cm, built-in power supply for mains	D-5xSW25-8-I	9.591
6 lines, each 7 digits, 25 cm, built-in power supply for mains	D-6xSW25-7-I	11.764
8 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x4xSW25-7-I	14.620
10 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-7-I	17.945
10 lines, each 8 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-8-I	18.887

LED-Display Board for Swimming - 15 cm - Outdoor			Price in €
1 line with 5 digits, 25 cm, built-in power supply for mains (event, heat)	D-1xSW15-5-O	1.602	
1 line with 7 digits, 15 cm, built-in power supply for mains	D-1xSW15-7-O	1.720	
1 line with 8 digits, 15 cm, scrolling, built-in power supply for mains	D-1xSW15-8-O	1.817	
3 lines, each 7 digits, 15 cm, built-in power supply for mains	D-3xSW15-7-O	3.566	
4 lines, each 7 digits, 15 cm, built-in power supply for mains	D-4xSW15-7-O	4.470	
5 lines, each 7 digits, 15 cm, built-in power supply for mains	D-5xSW15-7-O	5.371	
5 lines, each 8 digits, 15 cm, scrolling, built-in power supply for mains	D-5xSW15-8-O	5.848	
6 lines, each 7 digits, 15 cm, built-in power supply for mains	D-6xSW15-7-O	6.838	
6 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x3xSW15-7-O	6.838	
8 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x4xSW15-7-O	8.645	
10 lines, each 7 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-7-O	10.450	
10 lines, each 8 digits, 15 cm, built-in power supply for mains, two boards	D-2x5xSW15-8-O	11.401	
LED-Display Board for Swimming - 25 cm - Outdoor			Price in €
1 line with 4 digits, 25 cm, built-in power supply for mains (event, heat)	D-1xSW25-5-O	2.511	
1 line with 7 digits, 25 cm, built-in power supply for mains	D-1xSW25-7-O	2.803	
1 line with 8 digits, 25 cm, scrolling, built-in power supply for mains	D-1xSW25-8-O	3.012	
3 lines, each 7 digits, 25 cm, built-in power supply for mains	D-3xSW25-7-O	6.723	
4 lines, each 7 digits, 25 cm, built-in power supply for mains	D-4xSW25-7-O	8.698	
5 lines, each 7 digits, 25 cm, built-in power supply for mains	D-5xSW25-7-O	10.671	
5 lines, each 8 digits, 25 cm, built-in power supply for mains	D-5xSW25-8-O	11.168	
6 lines, each 7 digits, 25 cm, built-in power supply for mains	D-6xSW25-7-O	12.909	
8 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x4xSW25-7-O	17.099	
10 lines, each 7 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-7-O	21.050	
10 lines, each 8 digits, 25 cm, built-in power supply for mains, two boards	D-2x5xSW25-8-O	22.044	
CYCLING			Price in €
Cycling starting machine (1 piece)	ST-BSM1	16.390	
CycleStart system complete for mobile installation	CS-M	12.562	
CycleStart system complete for permanent installation	CS-P	12.065	
CycleStart LED-display board, 3 digits, 25 cm, start light red+green, horn,	D-LINE250-3-RG-SP	1.956	
Distribution box central - permanent installation	VELO-P-B	1.937	
Distribution box RED (home) - permanent installation	VELO-P-A	868	
Distribution box GREEN (stretch) - permanent installation	VELO-P-C	868	
Distribution box SPRINT - permanent installation	VELO-P-D	604	
Distribution box START 200 m - permanent installation	VELO-P-E	686	
Distribution box timing - permanent installation	VELO-P-F	868	
Distribution box for 100 m intermediate time - permanent installation	VELO-P-G	472	
Distribution box central - mobile installation	VELO-M-B	2.123	
Distribution box RED (home) - mobile installation	VELO-M-A	937	
Distribution box GREEN (stretch) - mobile installation	VELO-M-C	937	
Distribution box SPRINT - mobile installation	VELO-M-D	664	
Distribution box START 200 m - mobile installation	VELO-M-E	664	
Distribution box timing - mobile installation	VELO-M-F	810	
Distribution box for 100 m intermediate time - mobile installation	VELO-M-G	665	
SKI JUMPING			Price in €
Display with 6 x 9 cm digits and start light incl. Timy3 W and PS12A	D-SDA1-S	3.283	
Display with 6 x 9 cm digit and start light	D-SDA1	2.011	
FOOTBALL SPEED:			Price in €
Ballspeed with radar, display board D-LINE150-O-3-E0, TRI128 + TRI-S5	BS-R150	4.288	
Ballspeed with radar, display board D-LINE250-O-3-E0, TRI128 + TRI-S5	BS-R250	4.682	
SPEED-MASTER Radar Sensor with cable 288-10	SPEED-MASTER	2.766	

LED-Display Board Indoor and Outdoor		Price in €
D-LINE with 57 mm figure height - Indoor		
LED, figure height 57 mm, 2 digits, no space	D-LINE57-I-2-EO	871
LED, figure height 57 mm, 3 digits, no space	D-LINE57-I-3-EO	925
LED, figure height 57 mm, 4 digits, no space	D-LINE57-I-4-EO	981
LED, figure height 57 mm, 5 digits, no space	D-LINE57-I-5-EO	1.036
LED, figure height 57 mm, 6 digits, no space	D-LINE57-I-6-EO	1.090
LED, figure height 57 mm, 7 digits, no space	D-LINE57-I-7-EO	1.146
LED, figure height 57 mm, 8 digits, no space	D-LINE57-I-8-EO	1.201
LED, figure height 57 mm, 9 digits, no space	D-LINE57-I-9-EO	1.255
D-LINE with 100 mm figure height - Indoor		Price in €
LED, figure height 100 mm, 2 digits, no space	D-LINE100-I-2-EO	972
LED, figure height 100 mm, 3 digits, no space	D-LINE100-I-3-EO	1.077
LED, figure height 100 mm, 4 digits, no space	D-LINE100-I-4-EO	1.184
LED, figure height 100 mm, 5 digits, no space	D-LINE100-I-5-EO	1.286
LED, figure height 100 mm, 6 digits, no space	D-LINE100-I-6-EO	1.393
LED, figure height 100 mm, 7 digits, no space	D-LINE100-I-7-EO	1.499
LED, figure height 100 mm, 8 digits, no space	D-LINE100-I-8-EO	1.605
LED, figure height 100 mm, 9 digits, no space	D-LINE100-I-9-EO	1.708
D-LINE with 80 mm figure height - Outdoor		Price in €
LED, figure height 80 mm, 2 digits, no space	D-LINE80-O-2-EO	937
LED, figure height 80 mm, 3 digits, no space	D-LINE80-O-3-EO	1.025
LED, figure height 80 mm, 4 digits, no space	D-LINE80-O-4-EO	1.110
LED, figure height 80 mm, 5 digits, no space	D-LINE80-O-5-EO	1.195
LED, figure height 80 mm, 6 digits, no space	D-LINE80-O-6-EO	1.281
LED, figure height 80 mm, 6 digits - double-sided	D-LINE80d-O-6-EO	2.020
LED, figure height 80 mm, 7 digits, no space	D-LINE80-O-7-EO	1.366
LED, figure height 80 mm, 8 digits, no space	D-LINE80-O-8-EO	1.454
LED, figure height 80 mm, 9 digits, no space	D-LINE80-O-9-EO	1.540
D-LINE with 150 mm figure height - Outdoor		Price in €
LED, figure height 150 mm, 2 digits, no space	D-LINE150-O-2-EO	1.072
LED, figure height 150 mm, 3 digits, no space	D-LINE150-O-3-EO	1.201
LED, figure height 150 mm, 4 digits, no space	D-LINE150-O-4-EO	1.334
LED, figure height 150 mm, 5 digits, no space	D-LINE150-O-5-EO	1.467
LED, figure height 150 mm, 6 digits, no space	D-LINE150-O-6-EO	1.599
LED, figure height 150 mm, 6 digits - double-sided	D-LINE150d-O-6-EO	2.577
LED, figure height 150 mm, 7 digits, no space	D-LINE150-O-7-EO	1.731
LED, figure height 150 mm, 8 digits, no space	D-LINE150-O-8-EO	1.861
LED, figure height 150 mm, 9 digits, no space	D-LINE150-O-9-EO	1.994
D-LINE with 250 mm figure height - Outdoor		Price in €
LED, figure height 250 mm, 2 digits, no space	D-LINE250-O-2-EO	1.330
LED, figure height 250 mm, 3 digits, no space	D-LINE250-O-3-EO	1.596
LED, figure height 250 mm, 4 digits, no space	D-LINE250-O-4-EO	1.863
LED, figure height 250 mm, 5 digits, no space	D-LINE250-O-5-EO	2.129
LED, figure height 250 mm, 6 digits, no space	D-LINE250-O-6-EO	2.394
LED, figure height 250 mm, 6 digits - double-sided	D-LINE250d-O-6-EO	3.969
LED, figure height 250 mm, 7 digits, no space	D-LINE250-O-7-EO	2.662
LED, figure height 250 mm, 8 digits, no space	D-LINE250-O-8-EO	2.927
LED, figure height 250 mm, 9 digits, no space	D-LINE250-O-9-EO	3.192
D-LINE with 450 mm figure height - Outdoor		Price in €
LED, figure height 450 mm, 2 digits, no space	D-LINE450-O-2-EO	1.991
LED, figure height 450 mm, 3 digits, no space	D-LINE450-O-3-EO	2.486
LED, figure height 450 mm, 4 digits, no space	D-LINE450-O-4-EO	2.977
LED, figure height 450 mm, 5 digits, no space	D-LINE450-O-5-EO	3.469
LED, figure height 450 mm, 6 digits, no space	D-LINE450-O-6-EO	3.964
LED, figure height 450 mm, 7 digits, no space	D-LINE450-O-7-EO	4.456
LED, figure height 450 mm, 8 digits, no space	D-LINE450-O-8-EO	4.947
LED, figure height 450 mm, 9 digits, no space	D-LINE450-O-9-EO	5.442
D-LINE with 600 mm figure height - Outdoor		Price in €
LED, figure height 600 mm, 2 digits, no space	D-LINE600-O-2-EO	2.535
LED, figure height 600 mm, 3 digits, no space	D-LINE600-O-3-EO	3.248
LED, figure height 600 mm, 4 digits, no space	D-LINE600-O-4-EO	3.961
LED, figure height 600 mm, 5 digits, no space	D-LINE600-O-5-EO	4.673
LED, figure height 600 mm, 6 digits, no space	D-LINE600-O-6-EO	5.385
LED, figure height 600 mm, 7 digits, no space	D-LINE600-O-7-EO	6.099
LED, figure height 600 mm, 8 digits, no space	D-LINE600-O-8-EO	6.811
LED, figure height 600 mm, 9 digits, no space	D-LINE600-O-9-EO	7.524

Numeric Display Boards for Show Jumping			Price in €
LED, figure height 150 mm, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ150-3-2-5-E2	2.200	
LED, figure height 150 mm, 2 lines, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ150-3-2-V5-E2	2.232	
LED, figure height 250 mm, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ250-3-2-5-E2	3.572	
LED, figure height 250 mm, 2 lines, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ250-3-2-V5-E2	3.681	
LED, figure height 450 mm, 2 lines, 3 ID-digits, 2 point-digits, 5 time digits	D-EQ450-3-2-V5-E2	6.187	
LED-Time Temperature Display Board Indoor			Price in €
Figure height 57 mm, 4 digits, 340 x 130 x 60 mm, single-sided	D-SAT57-4-SS-I	843	
Figure height 57 mm, 6 digits, 500 x 130 x 60 mm, single-sided	D-SAT57-6-SS-I	931	
Figure height 80 mm, 4 digits, 400 x 150 x 60 mm, single-sided	D-SAT80-4-SS-I	1.019	
Figure height 80 mm, 6 digits, 600 x 150 x 60 mm, single-sided	D-SAT80-6-SS-I	1.157	
Figure height 100 mm, 4 digits, 550 x 180 x 60 mm, single-sided	D-SAT100-4-SS-I	1.005	
Figure height 100 mm, 6 digits, 800 x 180 x 60 mm, single-sided	D-SAT100-6-SS-I	1.175	
Figure height 150 mm, 4 digits, 730 x 250 x 60 mm, single-sided	D-SAT150-4-SS-I	1.214	
Figure height 150 mm, 6 digits, 960 x 250 x 60 mm, single-sided	D-SAT150-6-SS-I	1.428	
Figure height 250 mm, 4 digits, 1100 x 350 x 60 mm, single-sided	D-SAT250-4-SS-I	1.616	
Figure height 250 mm, 6 digits, 1500 x 350 x 60 mm, single-sided	D-SAT250-6-SS-I	2.038	
Double-sided model add 75 % (110 mm thick)	-DS option	plus 75%	
LED-Time Temperature Display Board Outdoor			Price in €
Figure height 80 mm, 4 digits, 400 x 150 x 60, single-sided	D-SAT80-4-SS-O	1.069	
Figure height 80 mm, 6 digits, 600 x 150 x 60, single-sided	D-SAT80-6-SS-O	1.231	
Figure height 150 mm, 4 digits, 730 x 250 x 60 mm, single-sided	D-SAT150-4-SS-O	1.284	
Figure height 150 mm, 6 digits, 960 x 250 x 60 mm, single-sided	D-SAT150-6-SS-O	1.534	
Figure height 250 mm, 4 digits, 1100 x 350 x 60 mm, single-sided	D-SAT250-4-SS-O	1.785	
Figure height 250 mm, 6 digits, 1500 x 350 x 60 mm, single-sided	D-SAT250-6-SS-O	2.291	
Figure height 450 mm, 4 digits, 1900 x 600 x 80 mm, single-sided	D-SAT450-4-SS-O	2.841	
Figure height 450 mm, 6 digits, 2490 x 600 x 80 mm, single-sided	D-SAT450-6-SS-O	3.778	
Figure height 600 mm, 4 digits, 2490 x 800 x 70 mm, single-sided	D-SAT600-4-SS-O	3.775	
Figure height 600 mm, 6 digits, 3400 x 800 x 70 mm, single-sided	D-SAT600-6-SS-O	5.129	
Double-sided model add 75 % (90 or 110 mm thick)	-DS option	plus 75%	
Accessories for Display Boards - Indoor and Outdoor			Price in €
*** 7 segment-digit 15 cm (electromechanic)	D15	300	
*** 7 segment-digit 25 cm (electromechanic)	D25	419	
Temperature sensor for air with 3 m cable to clamp (from SNo. 2307xxxx)	D-AT2	80	
Temperature sensor for air with 3 m cable and plug, socket in D-LINE (from SNo.	D-AT2-D	153	
Temperature sensor - water (cable length 10 m)	D-WT	339	
Light sensor	D-LS	115	
GPS synchronization	D-GPS	527	
GPS-Receiver Board PCB (used additional to the GPS-Receiver)	D-GPS-PCB	277	
DCF synchronization - receiver with 3 m cable to clamp	D-DCF	256	
DCF synchronization - receiver with 3 m cable and plug, socket in D-LINE	D-DCF-D	315	
Ethernet for data communication and synchronization using NTP protocol	D-ETH	262	
Carrying bag for display boards – model D-LINE150-O-6-EO	GTT15	71	
Carrying bag for display boards – model D-LINE250-O-6-EO	GTT25	112	
Floor holder (2 pieces) to stand the display board at the floor	FH	163	
TENNIS SCOREBOARDS			Price in €
Tennis scoreboard for 3 sets, 15 cm figure height, incl. Timy3 W and 234-10	D-TA615	3.955	
Tennis scoreboard for 5 sets, 15 cm figure height, incl. Timy3 W and 234-10	D-TA815	4.470	
Tennis scoreboard for 5 sets, 15 cm figure height + time of day + Timy3 W	D-TA815-T415	5.062	
Tennis scoreboard, 5 sets, 15cm + player name + time of day + D-CKN	D-TA815-T415-T	5.885	
Tennis scoreboard, 5 sets, 15cm +player name+time of day+game time+D-CKN	D-TA815-2xT415-T	6.208	
Tennis scoreboard for 3 sets, 25 cm figure height, incl. Timy3 W and 234-10	D-TA625	5.640	
Tennis scoreboard for 5 sets, 25 cm figure height, incl. Timy3 W and 234-10	D-TA825	6.754	
Tennis scoreboard for 5 sets, 25 cm figure height + time of day + Timy3 W	D-TA825-T415	7.465	
Tennis scoreboard, 5 sets, 25cm + player name + time of day + D-CKN	D-TA825-T415-T	9.306	
Tennis scoreboard, 5 sets, 25cm+player name+time of day+game time+D-CKN	D-TA825-2xT415-T	10.753	
Tennis scoreboard for 3 sets, 45 cm figure height, incl. Timy3 W and 234-10	D-TA645	9.320	
Tennis scoreboard for 5 sets, 45 cm figure height, incl. Timy3 W and 234-10	D-TA845	11.127	

FOOTBALL (SOCCER) SCOREBOARDS - Outdoor with radio and D-CKNF-WTN-A			Price in €
Football board: digits 300 mm, config. 8-88-8, 1800 x 550 x 70 mm with radio	D-LINE300-O-4-E2	2.783	
Football board: digits 450 mm, config. 8-88-8, 2500 x 800 x 70 mm with radio	D-LINE450-O-4-E2	3.613	
Football board: digits 600 mm, config. 8-88-8, 3300 x 1100 x 70 mm with radio	D-LINE600-O-4-E2	4.662	
Football board: digits 300 mm, config. 18-88-18, 1800 x 550 x 70 mm with radio	D-LINE300-O-2 2X19-E1	2.986	
Football board: digits 450 mm, config. 18-88-18, 2500 x 800 x 70 mm with radio	D-LINE450-O-2 2X19-E1	3.925	
Football board: digits 600 mm, config. 18-88-18, 3300 x 1100 x 70 mm with radio	D-LINE600-O-2 2X19-E1	5.053	
Football board: digits 300 mm - time (2 digits), goal (0 - 9) with radio	D-FB300-4-O-WR	2.650	
Football board: digits 450 mm - time (2 digits), goal (0 - 9) with radio	D-FB450-4-O-WR	3.525	
Football board: digits 300 mm - time (2 digits), goal (0 - 19) with radio	D-FB300-2&2XH-O-WR	2.835	
Football board: digits 450 mm - time (2 digits), goal (0 - 19) with radio	D-FB450-2&2XH-O-WR	3.805	
Football board: time (2 digits/450 mm), goal (0-19/300 mm) with radio	D-FB300-450-2&2XHO-WR	3.277	
Control unit for football scoreboards with 3 buttons	D-CKNF-WTN-A	722	
FOOTBALL (SOCCER) SCOREBOARDS - Outdoor with D-CKN			Price in €
Football board: digits 300 mm, config. 8-88:88-8, 2300 x 550 x 70 mm	D-LINE300-O-6-E2-T	2.983	
Football board: digits 450 mm, config. 8-88:88-8, 3300 x 800 x 70 mm	D-LINE450-O-6-E2-T	4.105	
Football board: digits 600 mm, config. 8-88:88-8, 4200 x 1100 x 70 mm	D-LINE600-O-6-E2-T	5.527	
Football board: digits 300 mm, config. 18-88:88-18, 2300 x 550 x 70 mm	D-LINE300-O-4 2X19-E1	3.186	
Football board: digits 450 mm, config. 18-88:88-18, 3300 x 800 x 70 mm	D-LINE450-O-4 2X19-E1	4.417	
Football board: digits 600 mm, config. 18-88:88-18, 4200 x 1100 x 70 mm	D-LINE600-O-4 2X19-E1	5.918	
Football board: digits 300 mm, config. 8-88:88.88-8, 2800 x 550 x 70 mm	D-LINE300-O-8A-E2	3.525	
Football board: digits 450 mm, config. 8-88:88.88-8, 4100 x 800 x 70 mm	D-LINE450-O-8A-E2	4.942	
Football board: digits 600 mm, config. 8-88:88.88-8, 5100 x 1100 x 70 mm	D-LINE600-O-8A-E2	6.740	
Football board: digits 300 mm, config. 18-88:88.88-18, 2800 x 550 x 70 mm	D-LINE300-O-6 2X19-E1	3.731	
Football board: digits 450 mm, config. 18-88:88.88-18, 4100 x 800 x 70 mm	D-LINE450-O-6 2X19-E1	5.253	
Football board: digits 600 mm, config. 18-88:88.88-18, 5100 x 1100 x 70 mm	D-LINE600-O-6 2X19-E1	7.132	
Football scoreboard: figure 300 mm - time (4 digits), goal (0 - 19)	D-FB3-19-300	3.168	
Football-athletics board: figure 300 mm- time (6 digits), goal (0 - 19)	D-FB3-19-A-300	3.781	
Football board: figure 450 mm - time (4 digits), goal (0 - 19) - 1 piece	D-FB3-19-450-1	4.896	
Football-athletics display board: figure 450 mm-time (6 digits), goal (0 - 19)	D-FB3-19-A-450	5.830	
Football board: time figures 450 mm and goal figures 600 mm (0 - 19)	D-FB3-19-600/450	5.321	
Football board: figure 600 mm - time (4 digits), goal (0 - 19)	D-FB3-19-600	6.740	
Football-athletics display board: figure 600mm- time (6 digits), goal (0 - 19)	D-FB3-19-A-600	8.307	
Football board: figure 1000 mm - time (4 digits), goal (0 - 19)	D-FB3-19-1000	15.297	
Football board: figure 1500 mm - time (4 digits), goal (0 - 19)	D-FB3-19-1500	26.781	
Any D-FB3 scoreboard might be made in TRSDES technology (TRaffic Sign DESign). A board in such a technology costs an additional 20 %. The front surface is powder coated metal and each LED has its own lens. The technology guarantees maximal possible, magnificent contrast. TRSDES technology LEDs can display different colors.	-TRSDES		+20%

Multisport Scoreboards with 15 cm digit height		Price in €
Multisport - 13 digits - 15 cm - universal board	D-S1S-FIB	2.141
Multisport - 13 digits - 15 cm - universal board with 2 x 12 fouls	D-S3S-FIB	3.530
Multisport - 15 cm - universal board with 4 penalty times and 2 x 12 fouls	D-S5S-FIB	4.732
Multisport Scoreboards with 25 cm digit height		Price in €
Multisport - 13 digits - 25 cm - universal board	D-M1S-FIB	3.198
Multisport - 13 digits - 25 cm - universal board + 2 x 12 pers. fouls	D-M3S-FIB	5.220
Multisport - 13 digits - 25 cm - universal board + 2 x 12 pers. fouls + no.	D-M3SP-FIB	7.314
Multisport - 13 digits - 25 cm - handball - horizontal with 4 x penalty time	D-M4SV2-FIB	4.040
Multisport - 13 digits - 25 cm - handball - vertical with 4 x penalty time	D-M4SH2-FIB	5.385
Multisport - 13 digits - 25 cm, 4 x penalty plus 2 x 12 pers. fouls	D-M5S-FIB	6.360
Multisport - 13 Digits - 25 cm, 4 x penalty + no., 2 x 12 pers. Fouls	D-M6S-FIB	6.578
Multisport - 13 digits - 25 cm, 4 x penalty + no., 2 x 12 fouls + no.	D-M6SP-FIB	8.415
Multisport - 13 digits - 25 cm, 4 x penalty + no., 2 x 12 fouls + no. + points	D-M6SPP-FIB	10.604
Multisport - 13 digits - 25 cm, 4 x penalty + no., 2 x 12 dig. fouls + no. + points	D-M6SPFP-FIB	10.303
Multisport - 25 cm, 4 x penalty + no., 2 x 12 no., name, dig. fouls, point	D-M6SBHV-FIB	23.592
Team name built-in above display, 2 x 9 character, about 185 mm height	TNP1V11-9	1.249
Multisport Scoreboards with 30 cm digit height		Price in €
Multisport - 13 digits - 30 cm - universal board	D-L1S-FIB	4.453
Multisport - 13 digits - 30 cm - universal board + 2 x 12 pers. fouls	D-L3S-FIB	7.438
Multisport - 13 digits - 30 cm - universal board + 2 x 12 pers. fouls + no.	D-L3SP-FIB	11.643
Multisport - 13 digits - 30 cm - handball - horizontal with 4 x penalty time	D-L4SV2-FIB	6.242
Multisport - 13 digits - 30 cm - handball - vertical with 4 x penalty time	D-L4SH2-FIB	6.987
Multisport - 13 digits - 30 cm, 4 x penalty plus 2 x 12 pers. fouls	D-L5S-FIB	8.781
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 pers. fouls	D-L6S-FIB	9.626
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 fouls + no.	D-L6SP-FIB	13.459
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 fouls + no. + points	D-L6SPP-FIB	16.769
Multisport - 13 digits - 30 cm, 4 x penalty + no., 2 x 12 dig. fouls + no. + points	D-L6SPFP-FIB	16.039
Team name built-in above display, 2 x 8 character, about 225 mm height	TNLP1V11-8	2.295
Multisport Scoreboards - FIBA Models		Price in €
Multisport - FIBA model with player names and penalty (vertical)	D-LS-BHV-V-FIB	41.077
Multisport - FIBA model with player names and penalty (horizontal)	D-LS-BHV-H-FIB	43.409
Multisport - FIBA model with player names	D-LS-FIB	34.254
Ice Hockey Scoreboards		Price in €
Ice hockey indoor: digit height 25, 18 and 15 cm - penalty without player no.	D-M5SH2H	5.377
Ice hockey indoor: digit height 25, 18 and 15 cm - penalty with player no.	D-M4SH2H	6.316
Ice hockey indoor: digit height 30, 25 and 18 cm - penalty without player no.	D-L5SH2H	7.308
Ice hockey indoor: digit height 30, 25 and 18 cm - penalty with player no.	D-L4SH2H	8.189
Ice hockey outdoor: digit height 25, 18 and 15 cm - penalty without player no.	D-M5SH2H-O	5.886
Ice hockey outdoor: digit height 25, 18 and 15 cm - penalty with player no.	D-M4SH2H-O	6.919
Ice hockey outdoor: digit height 30, 25 and 18 cm - penalty without player no.	D-L5SH2H-O	8.010
Ice hockey outdoor: digit height 30, 25 and 18 cm - penalty with player no.	D-L4SH2H-O	8.978
Ice hockey goal light - two pieces with connection box	D-HGL	669
Water Polo Scoreboards		Price in €
Water polo scoreboard indoor: penalty - figure height 15 cm	D-S15BP2W	4.311
Water polo scoreboard indoor: penalty - ind. fouls - figure height 15 cm	D-S15-5W	5.651
Water polo scoreboard indoor: penalty - ind. fouls - figure height 25/15 cm	D-M5SW	6.626
above water polo scoreboards as outdoor model	-O	plus 10%
Basketball Shot Clock for Multisport Scoreboard - Indoor		Price in €
Basketball - LED, 2 digits, 10 cm including horn and keyboard	D-SC10SD-PH	1.154
Basketball - LED, 2 digits, 15 cm including horn and keyboard	D-SC15SD-PH	1.231
Basketball - LED, 2 digits, 25 cm including horn and keyboard	D-SC25SD-PH	1.579
Basketball - LED, 25 cm offence time, 15 cm game time incl. horn and keyboard	D-SC25SFD-PH	2.173
Water Polo Shot Clock for Multisport Scoreboard - Indoor		Price in €
Water polo - LED, 15 cm, including horn and operating unit	D-SC15W-PH	1.352
Water polo - LED, 25 cm, including horn and operating unit	D-SC25W-PH	1.796
Water polo - LED, 25 + 15 cm, including horn and operating unit	D-SC25GT15W-PH	2.326
Water polo - LED, 45 + 25 cm, including horn and operating unit	D-SC45GT25W-PH	3.731
above water polo shot clocks as outdoor model	-O	plus 10%
Stand for shot clock for two shot clocks)	D-STNW	245

Shot Clock Accessories		Price in €
Loud horn, added on Multisport, sound only at end of shot period	-SH	429
Loud horn built into Shot Clocks (two pieces)	-LH	705
Double-sided model	-DS	plus 75 %
Triple-sided model	-3S	plus 175 %
Four-sided model	-4S	plus 275 %
End of period light for basketball (red LED-frame around basket back plate), pair	D-EPL2	990
End of shot time light for basketball (yellow LED-frame around pack plate), pair	D-EST-Y	730
End of period light (red) and end shot time (yellow) to mount at backboard, pair	D-EPL2&EST-Y	1.605
Karate Scoreboards		Price in €
Karate scoreboard	D-BVK-5JC	2.930
as D-BVK plus 2 x country (2 x 3 characters)	D-BVK-CT-5JC	3.483
as D-BVK-CT plus 2 x name (2 x 9 characters)	D-BVK-T-5JC	4.953
Double-sided model add 75 %	-DS option	plus 75%
5 judges' consoles for voting in Kata	D-5JC	532
Taekwondo Scoreboards		Price in €
Taekwondo scoreboard with judge voting system	D-BVT-O	2.824
Taekwondo scoreboard with judge voting system	D-BVT	3.033
as D-BVT plus 2 x country (2 x 3 characters)	D-BVT-CT	3.634
as D-BVT-CT plus 2 x name (2 x 9 characters)	D-BVT-T	5.118
Double-sided model add 75 %	-DS option	plus 75%
Judo Scoreboards		Price in €
Judo scoreboard	D-BVJ	2.476
as D-BVJ plus 2 x country (2 x 3 characters)	D-BVJ-CT	3.089
as D-BVJ-CT plus 2 x name (2 x 9 characters)	D-BVJ-T	4.561
Double-sided model add 75 %	-DS option	plus 75%
Weight Lifting Scoreboards		Price in €
Weight lifting scoreboard	D-BVDT-S2	6.404
as D-BVDT-S2 plus 2 x country (2 x 9 characters)	D-BVDT-S1	7.865
Double-sided model add 75 %	-DS option	plus 75%
Accessories Multisport LED Scoreboards		Price in €
Control terminal for Multisport scoreboards	D-CKN	637
Control terminal for Multisport with radio WTN and rechargeable battery	D-CKN-WTN-A	958
Upgrade from D-CKN to D-CKN-WTN-A including WTN-DB	D-CKN-WTN-A-DB	805
Modification of D-CKN-TXA to D-CKN-WTN-A	D-CKN-WTN-MOD	461
PC keyboard for control terminal D-CKN	D-CKN-KB	44
External push-button with start and stop for D-CKN	D-CKA2	44
External push-button for shot clock with three keys for D-CKN	D-CKA3	58
Horn for Multisport (Replacement Part)	D-HORN	44
External Horn with power supply, 230 VAC, 100 dB	D-LH	371
Aluminum stand with 4 wheels	D-ST	271

Lap Counter			Price in €
Lap counter LED 15 cm 2 digits single-sided with controller, tripod TRI128, PP	D-LCC2-15-1	1.580	
Lap counter LED 15 cm 2 digits double-sided with controller, tripod TRIMAN, PP	D-LCC2-15-2	2.873	
Lap counter LED 15 cm 2 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC2-15-3	3.642	
Lap counter LED 25 cm 2 digits single-sided with controller, tripod TRIMAN, PP	D-LCC2-25-1	2.552	
Lap counter LED 25 cm 2 digits double-sided with controller, tripod TRIMAN, PP	D-LCC2-25-2	3.653	
Lap counter LED 25 cm 2 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC2-25-3	4.760	
Lap counter LED 15 cm 3 digits single-sided with controller, tripod TRI128, PP	D-LCC3-15-1	1.738	
Lap counter LED 15 cm 3 digits double-sided with controller, tripod TRIMAN, PP	D-LCC3-15-2	3.150	
Lap counter LED 15 cm 3 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC3-15-3	4.042	
Lap counter LED 25 cm 3 digits single-sided with controller, tripod TRIMAN, PP	D-LCC3-25-1	2.796	
Lap counter LED 25 cm 3 digits double-sided with controller, tripod TRIMAN, PP	D-LCC3-25-2	4.089	
Lap counter LED 25 cm 3 digits triple-sided with controller, tripod TRIMAN, PP	D-LCC3-25-3	5.376	
Lap counter LED 15 cm 2 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-15-1	2.345	
Lap counter LED 15 cm 2 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-15-2	3.113	
Lap counter LED 15 cm 2 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-15-3	3.882	
Lap counter LED 25 cm 2 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-25-1	2.792	
Lap counter LED 25 cm 2 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-25-2	3.894	
Lap counter LED 25 cm 2 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB2-25-3	5.001	
Lap counter LED 15 cm 3 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-15-1	2.504	
Lap counter LED 15 cm 3 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-15-2	3.390	
Lap counter LED 15 cm 3 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-15-3	4.282	
Lap counter LED 25 cm 3 digits single-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-25-1	3.037	
Lap counter LED 25 cm 3 digits double-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-25-2	4.330	
Lap counter LED 25 cm 3 digits triple-sided with controller, bell, tripod TRIMAN, PP	D-LCCB3-25-3	5.616	
Lap counter for Speed Skating, 4 figures with 15 cm (2 x white 2 x red) with built in power pack (battery and charger), for outdoor use	D-LC-SS15-2x2-BAT-O	1.714	
Lap counter for Speed Skating, 4 figures with 25 cm (2 x white 2 x red) with built in power pack (battery and charger), for outdoor use	D-LC-SS25-2x2-BAT-O	2.373	
Information Matrix Display Boards			Price in €
LED-matrix display board, outdoor, 16 x 96 pixel, pixel pitch 15 mm active area 240 x 1440mm, casing 280 x 1480 x 100 mm, 1 LED per pixel	D-RTNM-P1V3-16x96-RO	2.888	
LED-matrix display board, outdoor, 16x96 pixel, pixel pitch 20 mm active area 320x1920mm, casing 360x1960x100 mm, 1 LED per pixel	D-RTNM-P1V4-16x96-RO	3.148	
LED-matrix display board, outdoor, 24x96 pixel, pixel pitch 20 mm active area 480 x 1920 mm, casing 520 x 1960 x 100 mm, 1 LED per pixel	D-RTNM-P1V4-24x96-RO	4.573	
Double-sided model add 75 %	-DS option	plus 75%	
Video Walls			Price in €
Video Wall Outdoor Set, pixel pitch 6,69 mm, active area 1920 x 960 mm, resolution 288 x 144 pixel, alucase for mobile use, 2 modules incl. 2 x CH-STAND-EXL, 2 x CH-CUSH-EXL, CH-FLIGT-EXL, CH-TB50, SCREENS and PCD-M	CHS-VFO6.67EXL-288x144	10.281	
Video Wall outdoor module, pixel pitch 6.69 mm, active area 960 x 960 mm, 144 x 144 pixel, Alucase for mobile use	CH-VFO6.67EXL-144x144	3.444	
Stand to stand the video wall on the floor (1 piece)	CH-STAND-EXL	399	
Top cushion, to protect video wall from the top	CH-CUSH-EXL	107	
Flight case for up to 4 modules, dimensions: ca. 1050 x 600 x 800 mm	CH-FLIGHT-EXL	753	
Video Controller for Video Wall	CH-TB50	1.629	
PCD multisport license for 3rd party video walls including adaption for layout (Swimming or D-CKN)	PCD-M	8.072	
SPORT-SOFTWARE for the PC			Price in €
Show Jumping - Software to control the timing and points (Freeware)	ALGE-SJ-T		
Show Jumping - License for data import and list printing	EQU-EXP	665	
Show Jumping - License for info display (local data server is necessary)	EQU-Live	738	
Show Jumping - Adjustment of webhosting (this fee you pay only once)	EQU-INET-INST	552	
Show Jumping - Yearly fee for webhosting of results (EUQ-INET is necessary)	EQU-INET	716	
Speed Climbing and OCR Ninja 100 - Software for Timing and Results	CLIMB2	2.665	

ACCESSORIES		Price in €
Thermal paper for P5, Timy, and TdC 8001 (30 m)	RTP	3,23
	RMP	15
Case with full foam insert (to cut by yourself)	KL-FULL	202
Case for 1 x RLS3c with Reflector + 2 x TRI128	KL-RLS3c	202
Case for 1 x Windspeed WS3, 1 x TIMY, 1 x RTP, 1 x PS12A	KL-WS3	202
Case for ASC3	KL-ASC3	202
Case for WTN-SET1 or WTN-SET2	KL-WTN-SET	202
Case for 1 x OPTIc3, 1 x WPC3-75, POE, 410 or 410-E3, Ethernet cable	KL-OPTIc3	202
Case for 4 x BBG + 1/2 insert	KL-BBG	202
Case for 1 x TIMY, 2 x (PR1a + PR1a-REF + SV4) 1 x STSn, + 1/2 insert	KL-TIMY	202
Case for 1 x IDCam, 1 x WP-IDCam, 1 x POE + 1/2 insert	KL-IDCAM	202
Case for TED2 + 3/4 insert	KL-TED2	202
Case for 3 x PR1a, 3 x PR1a-REF + 3/4 insert	KL-PR1a	202
Case for 1 x STSn, 1 x PR1a, 1 x PR1a-REF + 3/4 insert	KL-STSn	202
Case for Athletic Start (e-Start, SU3, WTN-PB, Headset, 199-20, usw.)	KL-LAS	202
Transport case for SWIM 2000	TN-SWIM	272
Case for Timy	KS-TY1	50
Case for two photocells PR1a-R	KS-PR1	49
Case for e-Start, WTN-PB and SU3	KS-LAS	49
ALGE timing backpack	ATBP	153
Socket joint (for RLS3 or IDCam)	BHS	59
Tripod max. height 139 cm	TRI128	163
Tripod for photo finish with a max. height of 227 cm	TRIMAN	688
Tripod for photo finish with a max. height of 267 cm	TRI-PRO	1.432
Tripod for photo finish with a height of max. 366 cm	STATIV6	2.910
Clamp with 3/8" thread	CLAMP3/8	85
OTP-EPROM with new software	OTP-EPROM	170
Processor with integrated software	PROC	170
USB-RS232 adapter	USB-RS232	57
RS232 Adapter with optical isolation	RS232I	52
USB to WTN adapter with cable USB-mini and cable 280-03	USB-WTN	224
WIFI Adapter for USB	USB-WIFI	55
Protector for notebooks and tablets from 10 to 13.3 inch	iCap-MIN	224
Protector for notebooks and tablets from 14 to 16 inch	iCap-MID	236
Protector for notebooks and tablets from 17 to 19 inch	iCap-MAX	272
Terminator for SWT and SJ	SWT-END	85
CABLE REELS		Price in €
Cable reel without cable	KT3	148
Cable reel with 150 m field-telephone-line	KT150	327
Cable reel with 150 m field-telephone-line and holder for SJT (\$ 1 x)	KT150H	358
Cable reel with 300 m field-telephone-line	KT300	461
Cable reel with 500 m field-telephone-line	KT500	665
Cable reel KT199Z10 from TimeManager to Flash and SU2/SU3	KT199Z10	542
Cable reel TM SWIM - SWT (100 m)	KT200Z10	622
Cable reel TM SWIM - SPA Turn side (100 m)	KT201Z10	932
Kabeltrommel für Bahnrad mit 100 m Kabel (weibliche Buchse an Kabeltrommel)	KT214-Z10F	634
Kabeltrommel für Bahnrad mit 100 m Kabel (männliche Buchse an Kabeltrommel)	KT214-Z10M	645
Cable reel KT245Z10 (100 m) for anemometer (Timy or Timy2)	KT245Z10	593
Cable reel with 30 m cable between SJT2 and SJS2 (Start Judge SJ2)	KT313-30	634
Cable reel with 30 m cable between SJT2 and SJS2 with protection hose	KT313-30P	854
Cable reel with network cable for OPTIc3 and IDCam - 90 m (CAT6)	KT-RJ45G90	537
CABLES		Price in €
2-core cable (1 m) with green and black banana plug	000-01	28
2-core cable (2 m) with green and black banana plug	000-02	30
2-core cable (5 m) with green and black banana plug	000-05	34
2-core cable (10 m) with green and black banana plug	000-10	42
Photocell cable with DIN-plug for finish photocell (1 m)	001-01	34
Photocell cable with DIN-plug for finish photocell (10 m)	001-10	51
Photocell cable with DIN-plug for finish photocell (20 m)	001-20	92
Photocell cable with DIN-plug for finish photocell (30 m)	001-30	123
Photocell cable with DIN-plug for start photocell (1 m)	002-01	34
Photocell cable with DIN-plug for start photocell (10 m)	002-10	62
Photocell cable with DIN-plug for start photocell (20 m)	002-20	92

Photocell cable with DIN-plug for start photocell (30 m)	002-30	123
Photocell cable intermediate time (parallel slalom)	003-10	62
Photocell cable intermediate time (parallel slalom)	003-20	72
Synchron cable (1 m)	004-01	45
Synchron cable (Teledata) 5 m	004-05	55
Charging and power supply cable for Timy from external battery	008-02	95
ASC Tele (universal cable) 10 m	017-10	71
Photocell extension	018-5	179
Push-button stop (DIN-plug) 2 m	020-02	77
Push-button intermediate time or count-down (ASC1)	022-02	77
Push-button with banana plug (2 m)	023-02	58
Push-button with banana plug (10 m)	023-10	75
Push-buttons for start (DIN-Plug) (2 m)	024-02	78
Impulse cable for RLS1n with internal battery	027-02	36
Battery connection-cable for D-LINE or GAZ (5 m)	032-05	151
Connection cable GAZ - GAZ with data and supply	033-01	85
2-core cable (10 m) with yellow and black banana plug for display board data	037-10	43
On/Off-switch for RLS, stop	044-5	214
On/Off-switch for RLS, start	045-5	214
TdC8/S4/COMET-PC (9-pin) 2 m	067-02	74
Data transmission from TED-RX to GAZ with supply	103-10	85
Data transmission from TED-RX to PC 9-pin	104-10	89
Data transmission from PC 9-pin to TED-TX or display board	105-10	89
Adapter from one headset socket to two headset sockets (Y-cable)	112-2	89
Adapter for TED-TX for free data transmission	119-2	89
Cable between SJS2 or charging cable for SJ2S (12 m)	139-02	107
Cable between SJS2 or charging cable for SJ2S (12 m) with protection hose	139-02P	124
Cable between SJS2 (12 m)	139-12	230
Cable between SJS2 (12 m) with protection hose	139-12P	334
Protection hose for cable 139	CP11	10
Data cable between PC and D-LINE (bidirectional)	145-05	95
Synchron cable for photocell PR1a	163-6	47
Extension cable (3 m) for headset HS2-1 and HS2-2	165-03	73
Banana cable RS485 (blue/white)	166-10	45
Cable with 30 m plus 2 outlet of 10 m each for photocell of Speedy	171-30	290
Cable 199-20 from TimeManager to Flash and SU2/SU3	199-20	154
Cable 199-30 from TimeManager to Flash and SU2/SU3	199-30	190
Cable from SWT to SWT	200-04	94
Cable from TM SWIM to SWT	200-20	164
Cable SPA - SPA (7 m)	201-07	108
Cable SPA - SPA (20 m)	201-20	200
Data cable RS232 for Timy to PC (2 m)	205-02	77
Adapter cable 2 m from TED-RX to Timy (8 timing channels-Training REF)	207-02	71
Adapter cable 10 m from TED-RX to Timy (8 timing channels-Training REF)	207-10	91
Cable from Timy Terminal to Timy Terminal	209-03	167
Cable from Timy Terminal to last Timy Terminal (end resistor)	210-03	175
Cable between two Timy Terminals with outlet for power supply	215-03	175
Data cable between Timy and D-LINE with supply for Timy (not for GAZ)	234-10	134
Cable from Windspeed WS2 to fix cabling box TB W	245-10	153
Cable from Windspeed WS2 to Terminal Timy/Timy2	246-02	124
Cabling Amphenol 4-pin to photocell stop with 12 VDC	274-10	77
Cable from WTN to Timy or TdC8000/8001 (25-pin D-Sub)	280-03	23
Cable from WTN to PC (25-pin to 9-pin - D-Sub)	283-02	95
Cable from WTN to display board (25-pin D-Sub to Amphenol 4-pin)	284-02	85
Cable from Ballspeed radar BS-R to D-LINE	288-10	157
Cable for external battery power for WTN-WS	292-05	168
Cable from WTN to photocell start with 12VDC	295-02	89
Cable from WTN to photocell stop with 12VDC	296-02	89
Battery cable for display board and radar or WTN-DB	299-05	265
Start-Stop change-over-switch (middle = off) with push-button	300-01	253
Extension cable for display board	301-30	212
Cable from Touchpad to SWT3 (banana cable with white and blue)	309-2.5	32
Cable from SSD1 to SSD1 (Cross)	310-1.5	89
Cable from SSD1 to SSD1 or SSD1-PS	310-07	134
Cable from TED2-RX to Timy3	319-03	56
Power Supply Cable from PS-KP to D-LINE	323-1.5	54

Power Supply Cable from PS-KP to D-LINE and WTN-WS/WTN-DB/D-RAD	324-1.5	85
Power Supply Cable from PS-KP to WTN-WS	325-1,5	54
Power Supply Cable from PS-KP to RLS3c	326-1.5	54
Cable from TED2-RX to Timy3 (TED-RX Compatibility-Mode)	327-02	54
RS 232 Cable: timer - PC (9-pin) without handshake	904-02	83
Antenna Cable for TED2 - 50 Ohm, up to 4 GHz (5 m)	BNC-V5	108
Ethernet Cable (gray) 3 m, CAT6, Patch Cable	K-RJ45G03	21
Ethernet Cable (gray) 10 m, CAT6, Patch Cable	K-RJ45G10	46
Ethernet Cable (gray) 20 m, CAT6, Patch Cable	K-RJ45G20	77
USB 2.0 cable 1.8 m with plugs A and B	USB-AB	7,18
USB 2.0 cable, type A - 5-pin mini 0.8 m	USB-mini	7,18
USB 2.0 cable type micro with 1.8 m	USB-micro	11
USB 2.0 cable from type A to type C with 1,8 m	USB-AC	22
USB type C cable from MT1/TED2 to P6-USB	USB-CC	21
REPAIRS		Price in €
Calibration and basic check of the timing device	CAL	163
Cost estimate for repairs (refunded in case of executed repairs)	RCE	56
PROMOTION MATERIAL		Price in €
# ALGE jacket (black) - Mammut Gore-Tex Winter Jacket	AW-AN-Stoney	261
# ALGE-softshell jacket (blue)	AW-SS-BU17	60
# ALGE-Polo (gray)	AW-P-GY17	28
# ALGE polo (black)	AW-PB	16
# ALGE polo with long sleeves	AW-PLB	40
# ALGE cap gray with ALGE-TIMING-1946	AW-Cap 1946	8,71
# ALGE-Tube Scarf	AW-TS21	9,23
# ALGE winter cap	AW-WCAP20	11
# ALGE laptop backpack	AW-BP-LT	43
# ALGE-bathing towel with swimmer	AW-BT-YE24	17
# ALGE penknife (small)	AW-TMS	17
# ALGE penknife (large)	AW-TML	9,23
# ALGE sun umbrella	AW-SJ-SUN	97
# ALGE mug	AW-Cup	4,00
# ALGE pen	AW-Pen	1,54
# ALGE USB flash drive 16GB (USB3.0)	ALGE-Stick	7,69

Price: net in € (Euro)

Validity: until cancelled

Subject to errors, misprints and changes!

*	This product is not yet available
**	This product is no longer available
***	This product will be discontinued soon
#	Product is not discountable
NEW	New product